NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 09/09/2011 15:08
Last Report Issued 07/14/2010 07:25

88888
Clinical Dummy reports
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 0276SP-POS
Patient ID 0276SP-POS
Chain 10001390
Age Not Given **Gender** Not Given

Workorder 10001390

Received 07/14/2010 07:20

Sample ID 10001390-001
Matrix Serum or Plasma
Patient Name 0276SP-POS
Patient ID 0276SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
0276SP 4-Aminopyridine Exposure, Serum/Plasma				
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)				
4-Aminopyridine	5.0	ng/mL	2.0	
Synonym(s): Avitrol 200®; Avitroland®; p-Aminopyridine; Amino-4-pyridine				
A plasma concentration of approximatelly 100 ng/mL is considered a likely threshold for increased risk of seizures.				