NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 12/03/2018 06:29
Last Report Issued 08/07/2018 07:46

88888
Clinical Example Report
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 0460SP
Patient ID 0460SP
Chain 18000963
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 18000963

Received 08/06/2018 14:12

Disclaimer: Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

Sample ID 18000963-001
Matrix Serum or Plasma
Patient Name 0460SP
Patient ID 0460SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
0460SP Arsenic, Serum/Plasma				
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)				
Arsenic	None Detected	mcg/L	5.0	
Normally: Less than 5 mcg/L.				
Various states require that levels above certain cutoffs must be reported to the state in which the patient resides. Please contact us if you need assistance in supplying your state with the required information.				