NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 03/30/2020 11:48
Last Report Issued 12/01/2003 09:56

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1110SP
Patient ID 1110SP
Chain 03009616
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 03009616

Received 12/01/2003 09:31

Sample ID 03009616-001
Matrix Serum
Patient Name 1110SP
Patient ID 1110SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
1110SP Chlorobenzene, Serum/Plasma				
Analysis by Gas Chromatography (GC)				
Chlorobenzene	None Detected	mcg/mL	0.020	
No reference data available.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.