



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 09/09/2011 14:02

Last Report Issued 06/01/2011 09:38

88888

Clinical Dummy reports
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 1261FL

Patient ID 1261FL

Chain 11001082

Age Not Given **Gender** Not Given

Workorder 11001082

Received 06/01/2011 06:41

Sample ID 11001082-001

Matrix Fluid

Patient Name 1261FL

Patient ID 1261FL

Container Type Clear vial

Collect Dt/Tm Not Given

Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1261FL Chromium, Fluid

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Chromium	None Detected	mcg/L	1.0	
No reference data available. Not for clinical diagnostic purposes.				