



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 06/21/2017 12:53  
**Last Report Issued** 04/07/2017 19:27

**88888**

Clinical Example Report  
Attn: IT Department  
200 Welsh Road  
Horsham, PA 19044-2208

**Patient Name** 1290N  
**Patient ID** 1290N  
**Chain** 17000691  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 17000691  
**Received** 04/06/2017 08:39

Disclaimer: Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

**Sample ID** 17000691-001  
**Matrix** Nails  
**Patient Name** 1290N  
**Patient ID** 1290N  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**1290N Cobalt, Nails**

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Cobalt	None Detected	mcg/g	0.020	
--------	---------------	-------	-------	--

No reference data available.  
Not for clinical diagnostic purposes.