



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 07/28/2014 08:52
Last Report Issued 06/09/2014 07:29

88888
Clinical Example Report
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 1290U-POS
Patient ID 1290U-POS
Chain 14001412
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 14001412
Received 06/04/2014 13:21

Sample ID 14001412-001
Matrix Urine
Patient Name 1290U-POS
Patient ID 1290U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
1290U Cobalt, Urine				
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)				
Cobalt	5.0	mcg/L	1.0	ELEVATED
Normal urine values are less than 2.0 mcg/L.				