NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 05/20/2013 06:54
Last Report Issued 03/29/2013 10:00

88888
Clinical Example Report
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 1330FL-POS
Patient ID 1330FL-POS
Chain 13001353
Age Not Given **Gender** Not Given

Workorder 13001353

Received 03/29/2013 08:45

Sample ID 13001353-001
Matrix Fluid
Patient Name 1330FL-POS
Patient ID 1330FL-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
1330FL Copper, Fluid				
Analysis by Inductively Coupled Plasma/Optical Emission Spectrometry (ICP/OES)				
Copper	50	mcg/mL	0.40	
No reference data available. Not for clinical diagnostic purposes.				