



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 02/03/2014 09:09  
**Last Report Issued** 10/17/2013 07:08

**88888**  
Clinical Example Report  
Attn: IT Department  
200 Welsh Road  
Horsham, PA 19044-2208

**Patient Name** 1330R-POS  
**Patient ID** 1330R-POS  
**Chain** 13003578  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 13003578  
**Received** 10/17/2013 06:37

**Sample ID** 13003578-001  
**Matrix** RBCs  
**Patient Name** 1330R-POS  
**Patient ID** 1330R-POS  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**1330R Copper, RBCs**

Analysis by Inductively Coupled Plasma/Optical Emission Spectrometry (ICP/OES)

Copper	11000	mcg/dL	44	ELEVATED
<p>NMS Labs derived data for 2.5th - 97.5th percentile range is 59 - 91 mcg/dL (n=1999). The RBC sample used for analysis was measured by weight and multiplied by the density of human RBC (1.10 g/mL) to obtain mcg/dL units.</p>				