



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 02/03/2014 09:09
Last Report Issued 10/17/2013 07:08

88888
Clinical Example Report
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 1330R
Patient ID 1330R
Chain 13003577
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 13003577
Received 10/17/2013 06:37

Sample ID 13003577-001
Matrix RBCs
Patient Name 1330R
Patient ID 1330R
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1330R Copper, RBCs

Analysis by Inductively Coupled Plasma/Optical Emission Spectrometry (ICP/OES)

Copper	None Detected	mcg/dL	44	
--------	---------------	--------	----	--

NMS Labs derived data for 2.5th - 97.5th percentile range is 59 - 91 mcg/dL (n=1999).
The RBC sample used for analysis was measured by weight and multiplied by the density of human RBC (1.10 g/mL) to obtain mcg/dL units.