NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 03/26/2019 14:35
Last Report Issued 03/26/2019 14:35

88888
NMS Labs
Attn: Example Report
3701 Welsh Road
Willow Grove, PA 19090

Patient Name 1817FL
Patient ID 1817FL
Chain 18001839
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 18001839

Received 11/07/2018 15:52

Sample ID 18001839-001
Matrix Fluid
Patient Name 1817FL
Patient ID 1817FL
Container Type Convenience Container

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Select testing may have been performed at: 3701 Welsh Road, PO Box 433A, Willow Grove, PA 19090-0437

Analysis and Comments	Result	Units	Reporting Limit	Notes
1817FL Doxylamine, Fluid				
Analysis by Gas Chromatography (GC)				
Doxylamine	None Detected	ng/mL	250	
Synonym(s): Unisom®				
No reference data available.				