



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 17:24
Last Report Issued 05/11/2011 12:12

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 2165SP-POS
Patient ID 2165SP-POS
Chain 11000995
DOB Not Given
Sex Not Given
Workorder 11000995
Received 05/11/2011

Lab ID 11000995-001
Matrix Serum or Plasma
Patient Name 2165SP-POS
Patient ID 2165SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
2165SP Glycols Panel, Serum/Plasma				
Analysis by Gas Chromatography (GC)				
Propylene Glycol Propylene glycol is used extensively as a preservative, emollient and vehicle for both oral and intravenous medications. Plasma levels of 80 - 200 mg/dL have been reported following oral ingestion of 41.4 grams every 12 hours.	10	mg/dL	5.0	
Ethylene Glycol Normal range: None Detected	10	mg/dL	5.0	ELEVATED
Diethylene Glycol Normal range: None Detected	10	mg/dL	5.0	

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.