NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 04/21/2022 17:35
Last Report Issued 06/07/2021 06:49

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 2430UH-POS
Patient ID 2430UH-POS
Chain 13003600
DOB Not Given
Sex Not Given
Workorder 13003600
Received 10/17/2013

Lab ID 13003600-001
Matrix 24 Hour Urine
Patient Name 2430UH-POS
Patient ID 2430UH-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
2430UH Iron, 24 Hour Urine				
Analysis by Inductively Coupled Plasma/Optical Emission Spectrometry (ICP/OES)				
Urine Volume	1.0	L		
Iron	1.0	mg/L	0.080	
NMS Labs derived data: Range, 0 - 65 mg/L (N = 552). 10 - 90% of concentrations range from 0 - 0.63 mg/L.				
Iron (Urine Volume corrected)	1.0	mg/24 hr	0.080	ELEVATED
Normally: 0.1 - 0.3 mg/24 hour urine.				

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen in a trace metal free container.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.