NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 12/16/2013 07:57
Last Report Issued 10/14/2013 13:48

88888
Clinical Example Report
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 3140SP
Patient ID 3140SP
Chain 13003546
Age Not Given **Gender** Not Given

Workorder 13003546

Received 10/14/2013 13:32

Sample ID 13003546-001
Matrix Serum or Plasma
Patient Name 3140SP
Patient ID 3140SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
3140SP Nickel, Serum/Plasma				
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)				
Nickel	None Detected	mcg/L	4.0	
Normally less than 2.0 mcg/L.				