



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 18:38
Last Report Issued 10/13/2010 12:18

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 4051SP
Patient ID 4051SP
Chain 10002060
DOB Not Given
Sex Not Given
Workorder 10002060
Received 10/13/2010

Lab ID 10002060-001
Matrix Serum or Plasma
Patient Name 4051SP
Patient ID 4051SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

4051SP Quetiapine, Serum/Plasma

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Quetiapine	None Detected	ng/mL	5.0	
------------	---------------	-------	-----	--

Synonym(s): Seroquel®
Steady-state peak (1.0 to 1.5 hours) plasma levels following a t.i.d. daily regimen:
286 ng/mL (225 mg/day)
598 ng/mL (450 mg/day)
828 ng/mL (750 mg/day)
The plasma half-life is approximately 6 hours.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.