NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 03/30/2020 14:15
Last Report Issued 04/23/2013 06:50

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 8896OF
Patient ID 8896OF
Chain 13001718
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 13001718

Received 04/22/2013 14:16

Sample ID 13001718-001
Matrix Oral Fluid (Saliva)
Patient Name 8896OF
Patient ID 8896OF
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Oral Fluid specimen required extraction: 13001718-001

No testing performed on this sample.

NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Sample ID 13001718-002
Matrix Oral Fluid (Saliva)
Patient Name 8896OF
Patient ID 8896OF
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

The reporting limits reflect the concentration of the analytes in the sample as received. Dilution of oral fluid with collection buffer must be considered for evaluating this data.

NMS Labs generated Oral Fluid extract: 13001718-002

Analysis and Comments	Result	Units	Reporting Limit	Notes
8896OF Phencyclidine and Dextromethorphan (Qualitative), Oral Fluid (Saliva)				
Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)				
Phencyclidine	None Detected	ng/mL	1.0	
Synonym(s): PCP; Sherm; Angel Dust				
Phencyclidine (PCP) is a DEA Schedule II controlled dangerous hallucinogenic drug. It is subject to abuse and dependence.				
Dextromethorphan	None Detected	ng/mL	25	
Dextromethorphan (DXM) is an over the counter antitussive. When taken in excess it causes intoxication and dissociative effects, and is subject to abuse and dependence. This test does not distinguish between dextromethorphan and its isomer levomethorphan.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.