NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 03/30/2020 14:18
Last Report Issued 03/26/2020 13:09

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 9105U-POS
Patient ID 9105U-POS
Chain 20000309
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 20000309

Received 02/14/2020 12:21

Sample ID 20000309-001
Matrix Urine
Patient Name 9105U-POS
Patient ID 9105U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
9105U Acetyl Fentanyl Screen, Urine				
Analysis by High Performance Liquid Chromatography/Time of Flight-Mass Spectrometry (LC/TOF-MS)				
Acetyl Fentanyl	See Comment	ng/mL	5.0	
Comment: Based on this screening result, confirmation testing was performed. Refer to the confirmation test result(s).				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

5105U Acetyl Fentanyl and Metabolite Confirmation, Urine				
Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)				
Acetyl Fentanyl	5.0	ng/mL	0.50	

Acetyl fentanyl is a novel non-prescription synthetic opioid that has been implicated in several deaths. This fentanyl analog was previously undocumented in illicit drug use and is estimated to be five times more potent than heroin. Several state agencies have issued public health warnings. The Centers for Disease Control (CDC) has recommended

Results for sample 20000309-001 are continued on next page

NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 20000309-001
Matrix Urine
Patient Name 9105U-POS
Patient ID 9105U-POS

Collect Dt/Tm Not Given
Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
increased vigilance by public health agencies, emergency departments, state laboratories, medical examiners, and coroners for patients with symptoms consistent with opioid overdose. It is also recommended that if a fentanyl immunoassay (e.g., ELISA) produces a positive result additional confirmation testing be performed and that this testing should include fentanyl and its analogs, including acetyl fentanyl.				
Acetyl Norfentanyl	5.0	ng/mL	1.0	

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.