



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/21/2022 19:45
Last Report Issued 04/04/2022 06:01

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 9142B-POS
Patient ID 9142B-POS
Chain 22000135
DOB Not Given
Sex Not Given
Workorder 22000135
Received 01/13/2022

Lab ID 22000135-001
Matrix Blood
Patient Name 9142B-POS
Patient ID 9142B-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

9142B Cyanide Screen, Blood

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Cyanide	50	mcg/mL	0.10	
Synonym(s): Potassium Cyanide; CN; Hydrogen Cyanide				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

5636B Cyanide Confirmation (Qualitative), Blood

Analysis by Microdiffusion (MD)

Cyanide	Confirmed	mcg/mL	0.10	
Synonym(s): CN; Hydrogen Cyanide; Potassium Cyanide				

Normal: Up to 0.05 mcg/mL
Potentially toxic: 0.50 mcg/mL and greater
Potentially lethal: 2.0 mcg/mL and greater

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.