



November 26, 2007

Dear Valued Client:

In our continuing effort to provide you with the highest quality toxicology laboratory services available, we have compiled the enclosed packet of important changes regarding a number of tests we perform. Listed below are the types of changes included in this packet.

<b>Type of Change</b>	<b>Explanation</b>
Test Changes	Tests that have had changes to their method/CPT code, units of measurement, scope of analysis or specimen requirements
Reference Comment	Tests that have had changes to the reference comment
Discontinued Tests	Tests being discontinued with alternate testing suggestions

Please be advised that the new tests listed are available immediately. All other changes listed in this packet will go into effect on **March 03, 2008**. Please use this packet of information to update your computer systems/records. These changes are important to ensure standardization of our mutual laboratory databases.

If you have any questions about the information contained in this packet, please call our Client Support Department at (866) 522-2206. Thank you for your continued support of NMS Labs and your assistance in implementing these changes.

Sincerely,

NMS Labs

Database Changes - Summary

Test Code	Test Name	New Test	Method	Units	Scope	Specimen Reqs	Discontinued	Reference Comment	Misc.
1112SP	Chlorhexidine in Human Plasma					.			
1275U	Clonidine, Urine					.			
1569B	Diclofenac, Blood					.			
1569SP	Diclofenac, Serum/Plasma					.			
1569U	Diclofenac, Urine					.			
2067B	Etodolac, Blood					.			
2067SP	Etodolac, Serum/Plasma					.			
2067U	Etodolac, Urine					.			
2082SP	Fenopropfen, Serum/Plasma					.			
2095B	Flurbiprofen, Blood					.			
2095SP	Flurbiprofen, Serum/Plasma					.			
2095U	Flurbiprofen, Urine					.			
2390B	Ibuprofen, Blood					.			
2390FL	Ibuprofen, Fluid					.			
2390SP	Ibuprofen, Serum/Plasma					.			
2390TI	Ibuprofen, Tissue					.			
2390U	Ibuprofen, Urine					.			
2410B	Indomethacin, Blood					.			
2410SP	Indomethacin, Serum/Plasma					.			
2410U	Indomethacin, Urine					.			
2482B	Ketorolac, Blood					.			
2482SP	Ketorolac, Serum/Plasma					.			
2482TI	Ketorolac, Tissue					.			
2482U	Ketorolac, Urine					.			
2486B	Ketoprofen, Blood					.			
2486SP	Ketoprofen, Serum/Plasma					.			
2486U	Ketoprofen, Urine					.			
2599B	Mefenamic Acid, Blood						.		
2599SP	Mefenamic Acid, Serum/Plasma						.		
2599U	Mefenamic Acid, Urine						.		
3107B	Nabumetone as Metabolite, Blood					.			
3107SP	Nabumetone as Metabolite, Serum/Plasma					.			
3107U	Nabumetone as Metabolite, Urine					.			
3130B	Naproxen, Blood					.			
3130FL	Naproxen, Fluid					.			
3130SP	Naproxen, Serum/Plasma					.			
3130U	Naproxen, Urine					.			
3223B	Nonsteroidal Anti-Inflammatory Drug Panel, Blood					.			
3223SP	Nonsteroidal Anti-Inflammatory Drug Panel, Serum/Plasma					.			
3223U	Nonsteroidal Anti-Inflammatory Drug Panel, Urine					.			
3224SP	Nonsteroidal Anti-Inflammatory Drug Panel, Serum/Plasma (Study)					.			
3286B	Oxaprozin, Blood					.			
3286SP	Oxaprozin, Serum/Plasma					.			
3286U	Oxaprozin, Urine					.			
3781B	Piroxicam, Blood					.			
3781SP	Piroxicam, Serum/Plasma					.			
3781U	Piroxicam, Urine					.			

NMS Labs

3701 Welsh Road, Willow Grove, PA 19090

800-522-6671

**Database Changes - Summary**

4505B	Tolmetin, Blood					.			
4505SP	Tolmetin, Serum/Plasma					.			
4505U	Tolmetin, Urine					.			
5244B	Ibuprofen Quantitation/Confirmation, Blood (Forensic)					.			
5555U	Meperidine and Metabolite Confirmation, Urine		.					.	
9312B	Azatadine Screen, Blood		.						
9312SP	Azatadine Screen, Serum/Plasma		.						

**NMS Labs**

3701 Welsh Road, Willow Grove, PA 19090

800-522-6671

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



**TEST CHANGES**

**Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements**

<b>Test Code</b>	<b>Test Name</b>	<b>Units</b>	<b>Method / CPT Code</b>
<b>9312B</b>	<b>Azatadine Screen, Blood</b> Azatadine Summary of Changes: For Quality Improvement purposes the following changes were made. Method was changed.	ng/mL	<b>GC (82491)</b>
<b>9312SP</b>	<b>Azatadine Screen, Serum/Plasma</b> Azatadine Summary of Changes: For Quality Improvement purposes the following changes were made. Method was changed.	ng/mL	<b>GC (82491)</b>
<b>1112SP</b>	<b>Chlorhexidine in Human Plasma</b> Specimen Requirements: Specimen Requirements: 1 mL Serum or Plasma Transport Temperature: Frozen Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Rejection Criteria: None Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Frozen Requirement was added.		
<b>1275U</b>	<b>Clonidine, Urine</b> Specimen Requirements: Specimen Requirements: 2 mL Urine Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None. Rejection Criteria: None Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.		

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



## TEST CHANGES

### Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements

Test Code	Test Name	Units	Method / CPT Code
<b>1569B</b>	<b>Diclofenac, Blood</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Blood	
		Transport Temperature: Refrigerated	
		Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test.	
		Light Protection Required: Not Required	
		Special Handling: None	
		Rejection Criteria: None	
	Summary of Changes:	For Quality Improvement purposes the following changes were made.	
		Specimen Requirements were changed.	
		Refrigerated Requirement was added.	
<b>1569SP</b>	<b>Diclofenac, Serum/Plasma</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Serum or Plasma	
		Transport Temperature: Refrigerated	
		Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test.	
		Light Protection Required: Not Required	
		Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.	
		Rejection Criteria: Polymer gel separation tube (SST or PST).	
	Summary of Changes:	For Quality Improvement purposes the following changes were made.	
		Specimen Requirements were changed.	
		Refrigerated Requirement was added.	
<b>1569U</b>	<b>Diclofenac, Urine</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Urine	
		Transport Temperature: Refrigerated	
		Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test.	
		Light Protection Required: Not Required	
		Special Handling: None	
		Rejection Criteria: None	
	Summary of Changes:	For Quality Improvement purposes the following changes were made.	
		Specimen Requirements were changed.	
		Refrigerated Requirement was added.	

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



## TEST CHANGES

### Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements

Test Code	Test Name	Units	Method / CPT Code
<b>2067B</b>	<b>Etodolac, Blood</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Blood Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None	
	Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.	
<b>2067SP</b>	<b>Etodolac, Serum/Plasma</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Serum or Plasma Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Rejection Criteria: Polymer gel separation tube (SST or PST).	
	Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.	
<b>2067U</b>	<b>Etodolac, Urine</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Urine Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None	
	Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.	

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



## TEST CHANGES

### Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements

Test Code	Test Name	Units	Method / CPT Code
2082SP	<b>Fenopropfen, Serum/Plasma</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Serum or Plasma	
		Transport Temperature: Refrigerated	
		Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test.	
		Light Protection Required: Not Required	
		Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.	
		Rejection Criteria: Polymer gel separation tube (SST or PST).	
	Summary of Changes:	For Quality Improvement purposes the following changes were made.	
		Specimen Requirements were changed.	
		Refrigerated Requirement was added.	
2095B	<b>Flurbiprofen, Blood</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Blood	
		Transport Temperature: Refrigerated	
		Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test.	
		Light Protection Required: Not Required	
		Special Handling: None	
		Rejection Criteria: None	
	Summary of Changes:	For Quality Improvement purposes the following changes were made.	
		Specimen Requirements were changed.	
		Refrigerated Requirement was added.	
2095SP	<b>Flurbiprofen, Serum/Plasma</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Serum or Plasma	
		Transport Temperature: Refrigerated	
		Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test.	
		Light Protection Required: Not Required	
		Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.	
		Rejection Criteria: Polymer gel separation tube (SST or PST).	
	Summary of Changes:	For Quality Improvement purposes the following changes were made.	
		Specimen Requirements were changed.	
		Refrigerated Requirement was added.	

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



## TEST CHANGES

### Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements

Test Code	Test Name	Units	Method / CPT Code
<b>2095U</b>	<b>Flurbiprofen, Urine</b>		
Specimen Requirements:	Specimen Requirements: 1 mL Urine Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None		
Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.		
<b>5244B</b>	<b>Ibuprofen Quantitation/Confirmation, Blood (Forensic)</b>		
Specimen Requirements:	Specimen Requirements: 1 mL Blood Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None		
Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.		
<b>2390B</b>	<b>Ibuprofen, Blood</b>		
Specimen Requirements:	Specimen Requirements: 1 mL Blood Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None		
Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.		

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



**TEST CHANGES**

**Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements**

Test Code	Test Name	Units	Method / CPT Code
2390FL	<b>Ibuprofen, Fluid</b>		
	<p>Specimen Requirements: Specimen Requirements: 3 mL Fluid Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.</p>		
2390SP	<b>Ibuprofen, Serum/Plasma</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Serum or Plasma Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Rejection Criteria: Polymer gel separation tube (SST or PST).</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.</p>		
2390TI	<b>Ibuprofen, Tissue</b>		
	<p>Specimen Requirements: Specimen Requirements: 10 g Tissue Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.</p>		

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



**TEST CHANGES**

**Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements**

Test Code	Test Name	Units	Method / CPT Code
2390U	<b>Ibuprofen, Urine</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Urine Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.</p>		
2410B	<b>Indomethacin, Blood</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Blood Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.</p>		
2410SP	<b>Indomethacin, Serum/Plasma</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Serum or Plasma Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Rejection Criteria: Polymer gel separation tube (SST or PST).</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.</p>		

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



## TEST CHANGES

### Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements

Test Code	Test Name	Units	Method / CPT Code
<b>2410U</b>	<b>Indomethacin, Urine</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Urine	
		Transport Temperature: Refrigerated	
		Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test.	
		Light Protection Required: Not Required	
		Special Handling: None	
		Rejection Criteria: None	
	Summary of Changes:	For Quality Improvement purposes the following changes were made.	
		Specimen Requirements were changed.	
		Refrigerated Requirement was added.	
<b>2486B</b>	<b>Ketoprofen, Blood</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Blood	
		Transport Temperature: Refrigerated	
		Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test.	
		Light Protection Required: Not Required	
		Special Handling: None	
		Rejection Criteria: None	
	Summary of Changes:	For Quality Improvement purposes the following changes were made.	
		Specimen Requirements were changed.	
		Refrigerated Requirement was added.	
<b>2486SP</b>	<b>Ketoprofen, Serum/Plasma</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Serum or Plasma	
		Transport Temperature: Refrigerated	
		Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test.	
		Light Protection Required: Not Required	
		Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines.	
		Rejection Criteria: Polymer gel separation tube (SST or PST).	
	Summary of Changes:	For Quality Improvement purposes the following changes were made.	
		Specimen Requirements were changed.	
		Refrigerated Requirement was added.	

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



**TEST CHANGES**

**Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements**

Test Code	Test Name	Units	Method / CPT Code
2486U	<b>Ketoprofen, Urine</b>		
<p>Specimen Requirements: Specimen Requirements: 1 mL Urine Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.</p>			
2482B	<b>Ketorolac, Blood</b>		
<p>Specimen Requirements: Specimen Requirements: 1 mL Blood Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: None Rejection Criteria: Not received Light Protected.</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.</p>			
2482SP	<b>Ketorolac, Serum/Plasma</b>		
<p>Specimen Requirements: Specimen Requirements: 1 mL Serum or Plasma Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Rejection Criteria: Not received Light Protected. Polymer gel separation tube (SST or PST).</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.</p>			

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



**TEST CHANGES**

**Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements**

Test Code	Test Name	Units	Method / CPT Code
2482TI	<b>Ketorolac, Tissue</b>		
	<p>Specimen Requirements: Specimen Requirements: 10 g Tissue Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: None Rejection Criteria: Not received Light Protected.</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.</p>		
2482U	<b>Ketorolac, Urine</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Urine Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: None Rejection Criteria: Not received Light Protected.</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.</p>		
5555U	<b>Meperidine and Metabolite Confirmation, Urine</b>		
	<p>Meperidine Normeperidine</p>	<p>mcg/mL mcg/mL</p>	<p><b>GC &amp; GC/MS (80102)</b></p>
	<p>Summary of Changes: For Quality Improvement purposes the following changes were made. Method was changed.</p>		
3107B	<b>Nabumetone as Metabolite, Blood</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Blood Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.</p>		

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



**TEST CHANGES**

**Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements**

Test Code	Test Name	Units	Method / CPT Code
3107SP	<b>Nabumetone as Metabolite, Serum/Plasma</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Serum or Plasma Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Rejection Criteria: Polymer gel separation tube (SST or PST).</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.</p>		
3107U	<b>Nabumetone as Metabolite, Urine</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Urine Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.</p>		
3130B	<b>Naproxen, Blood</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Blood Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.</p>		

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



## TEST CHANGES

### Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements

Test Code	Test Name	Units	Method / CPT Code
<b>3130FL</b>	<b>Naproxen, Fluid</b>		
Specimen Requirements:	Specimen Requirements: 2 mL Fluid Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None		
Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.		
<b>3130SP</b>	<b>Naproxen, Serum/Plasma</b>		
Specimen Requirements:	Specimen Requirements: 1 mL Serum or Plasma Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Rejection Criteria: Polymer gel separation tube (SST or PST).		
Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.		
<b>3130U</b>	<b>Naproxen, Urine</b>		
Specimen Requirements:	Specimen Requirements: 1 mL Urine Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None		
Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.		

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



**TEST CHANGES**

**Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements**

Test Code	Test Name	Units	Method / CPT Code
3223B	<b>Nonsteroidal Anti-Inflammatory Drug Panel, Blood</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Blood Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: None Rejection Criteria: Not received Light Protected.</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.</p>		
3223SP	<b>Nonsteroidal Anti-Inflammatory Drug Panel, Serum/Plasma</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Serum or Plasma Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Rejection Criteria: Not received Light Protected. Polymer gel separation tube (SST or PST).</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.</p>		
3223U	<b>Nonsteroidal Anti-Inflammatory Drug Panel, Urine</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Urine Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: None Rejection Criteria: Not received Light Protected.</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.</p>		

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



## TEST CHANGES

### Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements

Test Code	Test Name	Units	Method / CPT Code
<b>3224SP</b>	<b>Nonsteroidal Anti-Inflammatory Drug Panel, Serum/Plasma (Study)</b>		
	Specimen Requirements: Specimen Requirements: 1 mL Serum or Plasma Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Rejection Criteria: Not received Light Protected. Polymer gel separation tube (SST or PST).		
	Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.		
<b>3286B</b>	<b>Oxaprozin, Blood</b>		
	Specimen Requirements: Specimen Requirements: 1 mL Blood Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None		
	Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.		
<b>3286SP</b>	<b>Oxaprozin, Serum/Plasma</b>		
	Specimen Requirements: Specimen Requirements: 1 mL Serum or Plasma Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Rejection Criteria: Polymer gel separation tube (SST or PST).		
	Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.		

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



**TEST CHANGES**

**Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements**

Test Code	Test Name	Units	Method / CPT Code
3286U	<b>Oxaprozin, Urine</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Urine Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Not Required Special Handling: None Rejection Criteria: None</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added.</p>		
3781B	<b>Piroxicam, Blood</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Blood Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: None Rejection Criteria: Not received Light Protected.</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.</p>		
3781SP	<b>Piroxicam, Serum/Plasma</b>		
	<p>Specimen Requirements: Specimen Requirements: 1 mL Serum or Plasma Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Rejection Criteria: Not received Light Protected. Polymer gel separation tube (SST or PST).</p> <p>Summary of Changes: For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.</p>		

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



## TEST CHANGES

### Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements

Test Code	Test Name	Units	Method / CPT Code
<b>3781U</b>	<b>Piroxicam, Urine</b>		
Specimen Requirements:	Specimen Requirements: 1 mL Urine Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: None Rejection Criteria: Not received Light Protected.		
Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.		
<b>4505B</b>	<b>Tolmetin, Blood</b>		
Specimen Requirements:	Specimen Requirements: 1 mL Blood Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: None Rejection Criteria: Not received Light Protected.		
Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.		
<b>4505SP</b>	<b>Tolmetin, Serum/Plasma</b>		
Specimen Requirements:	Specimen Requirements: 1 mL Serum or Plasma Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: Promptly centrifuge and separate Serum or Plasma into a plastic screw capped vial using approved guidelines. Rejection Criteria: Not received Light Protected. Polymer gel separation tube (SST or PST).		
Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.		

Changes effective:  
March 3, 2008

**NMS Labs**  
3701 Welsh Road, Willow Grove, PA 19090  
800-522-6671  
nms@nmslabs.com



## TEST CHANGES

### Method/CPT Code, Units of Measurement, Scope of Analysis and Specimen Requirements

Test Code	Test Name	Units	Method / CPT Code
4505U	<b>Tolmetin, Urine</b>		
	Specimen Requirements:	Specimen Requirements: 1 mL Urine Transport Temperature: Refrigerated Specimen Container: NMS Labs has no experimental or literature-based data regarding the choice of specific specimen collection containers for this test. Light Protection Required: Yes Special Handling: None Rejection Criteria: Not received Light Protected.	
	Summary of Changes:	For Quality Improvement purposes the following changes were made. Specimen Requirements were changed. Refrigerated Requirement was added. Light Protection was added.	

## DISCONTINUED TESTS

Test Code	Test Name	Alternative Test
2599B	Mefenamic Acid, Blood	No alternate test available for this matrix
2599SP	Mefenamic Acid, Serum/Plasma	No alternate test available for this matrix
2599U	Mefenamic Acid, Urine	No alternate test available for this matrix

## REFERENCE COMMENT CHANGES

Test Code	Test Name / Compound	New Reference Comment
5555U	<b>Meperidine and Metabolite Confirmation, Urine</b> • Normeperidine	No reference data available.