



Effective Date:
Monday, December 13, 2021

Test Updates

Immediate Action

In our continuing effort to provide you with the highest quality toxicology laboratory services available, we have compiled important changes regarding a number of tests we perform. Listed below are the types of changes that may be included in this notification, effective Monday, December 13, 2021

Test Changes - Tests that have had changes to the method/ CPT code, units of measurement, scope of analysis, reference comments, or specimen requirements.

Discontinued Tests - Tests being discontinued with alternate testing suggestions.

Please use this information to update your computer systems/records. These changes are important to ensure standardization of our mutual laboratory databases.

If you have any questions about the information contained in this notification, please call our Client Support Department at (866) 522-2206. Thank you for your continued support of NMS Labs and your assistance in implementing these changes.

The CPT Codes provided in this document are based on AMA guidelines and are for informational purposes only. NMS Labs does not assume responsibility for billing errors due to reliance on the CPT Codes listed in this document.



Effective Date:
Monday, December 13, 2021

Test Updates

Test Code	Test Name	Test Name	Method / CPT Code	Specimen Req.	Stability	Scope	Units	Reference Comments	Discontinue
1269SP	Clobazam and Metabolite, Serum/Plasma				•				
10004SP	Expanded Perfluoroalkyl Substances (PFAS), Serum/Plasma (CSA)				•				
3427SP	Perfluoroalkyl Substances (PFAS), Serum/Plasma				•				
10070SP	Perfluorooctanoic Acid (Low Level), Serum/Plasma				•				
3426SP	Perfluorooctanoic Acid, Serum/Plasma				•				



Test Updates

Test Changes

1269SP Clobazam and Metabolite, Serum/Plasma

Summary of Changes: Stability was changed.

Stability: Room Temperature: 14 day(s)
Refrigerated: 14 day(s)
Frozen (-20 °C): 2 month(s)

10004SP Expanded Perfluoroalkyl Substances (PFAS), Serum/Plasma (CSA)

Summary of Changes: Stability was changed.

Stability: Room Temperature: 30 day(s)
Refrigerated: 30 day(s)
Frozen (-20 °C): 30 day(s)

3427SP Perfluoroalkyl Substances (PFAS), Serum/Plasma

Summary of Changes: Stability was changed.

Stability: Room Temperature: 30 day(s)
Refrigerated: 30 day(s)
Frozen (-20 °C): 1 month(s)

10070SP Perfluorooctanoic Acid (Low Level), Serum/Plasma

Summary of Changes: Stability was changed.

Stability: Room Temperature: 30 day(s)
Refrigerated: 30 day(s)
Frozen (-20 °C): 12 month(s)

3426SP Perfluorooctanoic Acid, Serum/Plasma

Summary of Changes: Stability was changed.

Stability: Room Temperature: 30 day(s)
Refrigerated: 30 day(s)
Frozen (-20 °C): 12 month(s)