



Effective Date:
Monday, April 18, 2022

Test Updates

Immediate Action

In our continuing effort to provide you with the highest quality toxicology laboratory services available, we have compiled important changes regarding a number of tests we perform. Listed below are the types of changes that may be included in this notification, effective Monday, April 18, 2022

Test Changes - Tests that have had changes to the method/ CPT code, units of measurement, scope of analysis, reference comments, or specimen requirements.

Discontinued Tests - Tests being discontinued with alternate testing suggestions.

Please use this information to update your computer systems/records. These changes are important to ensure standardization of our mutual laboratory databases.

If you have any questions about the information contained in this notification, please call our Client Support Department at (866) 522-2206. Thank you for your continued support of NMS Labs and your assistance in implementing these changes.

The CPT Codes provided in this document are based on AMA guidelines and are for informational purposes only. NMS Labs does not assume responsibility for billing errors due to reliance on the CPT Codes listed in this document.



Effective Date:
Monday, April 18, 2022

Test Updates

| Test Code | Test Name | Test Name | Method / CPT Code | Specimen Req. | Stability | Scope | Units | Reference Comments | Discontinue |
|-----------|---|-----------|-------------------|---------------|-----------|-------|-------|--------------------|-------------|
| 1010U | Carbon Tetrachloride, Urine | | | | | | | | • |
| 9156B | Dimethyltryptamine Screen, Blood | | | | | | | | • |
| 9156SP | Dimethyltryptamine Screen, Serum/Plasma | | | | | | | | • |
| 9156U | Dimethyltryptamine Screen, Urine | | | | | | | | • |
| 1693B | Dimethyltryptamine, Blood | | | | | | | | • |
| 1693SP | Dimethyltryptamine, Serum/Plasma | | | | | | | | • |
| 1693U | Dimethyltryptamine, Urine | | | | | | | | • |
| 1770B | Diphenoxylate, Blood | | | | | | | | • |
| 1770SP | Diphenoxylate, Serum/Plasma | | | | | | | | • |
| 1770U | Diphenoxylate, Urine | | | | | | | | • |
| 1790SP | Disulfiram (DEDTC Metabolite) (Qualitative), Serum/Plasma | • | | | | | | • | |
| 3036U | Methyltin, Urine | | | | | | | | • |
| 9570U | Tapentadol Screen, Urine | | | | | | | | • |



Effective Date:
Monday, April 18, 2022

Test Updates

Test Changes

1790SP Disulfiram (DEDTC Metabolite) (Qualitative), Serum/Plasma

Summary of Changes: Test Name was changed.
Reference Comment was changed.

Scope of Analysis: GC (80375): Diethyldithiocarbamate
Method (CPT Code)

| Compound Name | Units | Reference Comment |
|------------------------|--------|---|
| Diethyldithiocarbamate | mcg/mL | NMS Labs has determined the disulfiram metabolite diethyldithiocarbamate (DEDTC) is only stable under extremely cold conditions; therefore, the reported value may not necessarily represent the concentration at the time of specimen collection. Because of this instability, a positive qualitative result for DEDTC is consistent with disulfiram administration. |



Effective Date:
Monday, April 18, 2022

Test Updates

Discontinued Tests

| Test Code | Test Name | Alternative Test |
|-----------|---|-------------------------------------|
| 1010U | Carbon Tetrachloride, Urine | 1010B - Carbon Tetrachloride, Blood |
| 9156B | Dimethyltryptamine Screen, Blood | No Alternate Tests Available |
| 9156SP | Dimethyltryptamine Screen, Serum/Plasma | No Alternate Tests Available |
| 9156U | Dimethyltryptamine Screen, Urine | No Alternate Tests Available |
| 1693B | Dimethyltryptamine, Blood | No Alternate Tests Available |
| 1693SP | Dimethyltryptamine, Serum/Plasma | No Alternate Tests Available |
| 1693U | Dimethyltryptamine, Urine | No Alternate Tests Available |
| 1770B | Diphenoxylate, Blood | No Alternate Tests Available |
| 1770SP | Diphenoxylate, Serum/Plasma | No Alternate Tests Available |
| 1770U | Diphenoxylate, Urine | No Alternate Tests Available |
| 3036U | Methyltin, Urine | No Alternate Tests Available |
| 9570U | Tapentadol Screen, Urine | No Alternate Tests Available |