



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:10
Last Report Issued 11/11/2013 07:34

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 0148B
Patient ID 0148B
Chain 13004027
Age Not Given DOB Not Given
Gender Not Given
Workorder 13004027
Received 11/11/2013 07:22

Sample ID 13004027-001
Matrix Blood
Patient Name 0148B
Patient ID 0148B
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes. Contains data for Cyanide, Acetaldehyde, Acrylonitrile, and Acetone.

Results for sample 13004027-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 13004027-001
Matrix Blood
Patient Name 0148B
Patient ID 0148B

Collect Dt/Tm Not Given
Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

Normal: Up to 3 mg/dL.
 Blood Acetone concentrations are markedly elevated during diabetic or fasting ketoacidosis and may range from 10 - 70 mg/dL.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.