



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:19
Last Report Issued 02/10/2009 09:58

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 0415SP-POS
Patient ID 0415SP-POS
Chain 1
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 09000939
Received 02/05/2009 14:07

Sample ID 09000939-001
Matrix Serum or Plasma
Patient Name 0415SP-POS
Patient ID 0415SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

| Analysis and Comments | Result | Units | Reporting Limit | Notes |
|--|----------|-------|-----------------|-------|
| 0415SP Chlorophacinone (Qualitative), Serum/Plasma | | | | |
| Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS) | | | | |
| Chlorophacinone Normal: None Detected | Positive | ng/mL | 10 | |

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.