



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 07/28/2020 07:01
Last Report Issued 07/22/2020 11:19

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 0460N
Patient ID 0460N
Chain 20001594
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 20001594
Received 07/22/2020 07:37

Sample ID 20001594-001
Matrix Nails
Patient Name 0460N
Patient ID 0460N
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

0460N Arsenic, Nails

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Arsenic	None Detected	mcg/g	0.50	
Normally: Less than 2 mcg/g. Not for clinical diagnostic purposes.				

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.