



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/14/2021 02:26
Last Report Issued 03/29/2021 08:39

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 0519FL
Patient ID 0519FL
Chain 21000135
Age Not Given DOB Not Given
Gender Not Given
Workorder 21000135
Received 01/27/2021 08:03

Sample ID 21000135-001
Matrix Fluid
Patient Name 0519FL
Patient ID 0519FL
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

0519FL Barium, Fluid

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Barium None Detected mcg/L 5.0

Inhalation of insoluble barium compounds may result in baritosis. Ingestion or inhalation of toxic amounts may produce gastroenteritis, ventricular fibrillation, and muscular paralysis. Barium is present in trace amounts in all tissues.

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.