



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:25
Last Report Issued 04/14/2008 07:51

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 0610U-POS
Patient ID 0610U-POS
Chain 1
Age Not Given DOB Not Given
Gender Not Given
Workorder 08000946
Received 03/27/2008 08:57

Sample ID 08000946-001
Matrix Urine
Patient Name 0610U-POS
Patient ID 0610U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

0610U Benzphetamine as Metabolites, Urine

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Table row for Amphetamine: 50000 ng/mL, 50. Includes synonym Benzphetamine Metabolite and description of rapid metabolism.

Table row for Methamphetamine: 50000 ng/mL, 50. Includes synonym Benzphetamine Metabolite and description of rapid metabolism.

This test reports Methamphetamine as the total of the undifferentiated d and l enantiomers. The ratio of these enantiomers is important in determining whether the source of Methamphetamine is from over the counter medications, prescribed medication or controlled substances. Call lab for further information on d to l enantiomer ratio determination.

Results for sample 08000946-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208

Phone: (215) 657-4900 Fax: (215) 657-2972

e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 08000946-001

Matrix Urine

Patient Name 0610U-POS

Patient ID 0610U-POS

Collect Dt/Tm Not Given

Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
------------------------------	---------------	--------------	------------------------	--------------

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.