



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:27
Last Report Issued 07/29/2010 16:06

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 0690SP
Patient ID 0690SP
Chain 10001590
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 10001590
Received 07/29/2010 16:04

Sample ID 10001590-001
Matrix Serum or Plasma
Patient Name 0690SP
Patient ID 0690SP
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

0690SP Bisphenol A - Free (Unconjugated), Serum/Plasma

Analysis by Gas Chromatography/Mass Spectrometry (GC/MS)

Bisphenol A - Free	None Detected	ng/mL	0.25	
--------------------	---------------	-------	------	--

Synonym(s): BPA; 4,4'- (1-Methylethylidene)bisphenol; 4,4'-Isopropylidenediphenol; 2,2 - Bis(4-hydroxyphenyl)propane

Studies in humans have measured serum levels of unconjugated (free) bisphenol A ranging between 0.2 and 20 nanog/mL.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.