



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/03/2020 11:22
Last Report Issued 03/19/2018 13:11

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 0720U-POS
Patient ID 0720U-POS
Chain 18000327
Age Not Given DOB Not Given
Gender Not Given
Workorder 18000327
Received 03/19/2018 13:05

Sample ID 18000327-001
Matrix Urine
Patient Name 0720U-POS
Patient ID 0720U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

0720U Bromine - Total, Urine

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Bromine - Total 1.0 mg/L 0.50

The population reference interval derived from NMS Labs data (n=126) is usually between <0.5 and 6.2 mg/L (2.5th - 97.5th percentiles). Background concentrations are diet dependent.

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.