



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 04/03/2020 11:22
Last Report Issued 03/19/2018 13:11

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 0720U
Patient ID 0720U
Chain 18000326
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 18000326
Received 03/19/2018 13:04

Sample ID 18000326-001
Matrix Urine
Patient Name 0720U
Patient ID 0720U
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

0720U Bromine - Total, Urine

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Bromine - Total	None Detected	mg/L	0.50	
-----------------	---------------	------	------	--

The population reference interval derived from NMS Labs data (n=126) is usually between <0.5 and 6.2 mg/L (2.5th - 97.5th percentiles). Background concentrations are diet dependent.

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.