



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 06/17/2020 10:20
Last Report Issued 06/17/2020 10:20

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 0921UH
Patient ID 0921UH
Chain 20001312
Age Not Given DOB Not Given
Gender Not Given
Workorder 20001312
Received 06/17/2020 10:10

Sample ID 20001312-001
Matrix 24 Hour Urine
Patient Name 0921UH
Patient ID 0921UH
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

0921UH Cadmium, 24 Hour Urine

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Table with 4 columns: Analysis and Comments, Result, Units, Reporting Limit. Rows include Urine Volume, Cadmium, and Cadmium (Urine Volume corrected).

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.