



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:32
Last Report Issued 06/14/2019 06:00

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 0930FL
Patient ID 0930FL
Chain 19001030
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 19001030
Received 06/14/2019 05:49

Sample ID 19001030-001
Matrix Fluid
Patient Name 0930FL
Patient ID 0930FL
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

0930FL Caffeine, Fluid

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Caffeine	None Detected	mcg/mL	0.50	
No reference data available.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.