NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 03/30/2020 11:33
Last Report Issued 07/16/2015 11:57

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 0960SP-POS
Patient ID 0960SP-POS
Chain 15001727
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 15001727

Received 07/15/2015 12:47

Sample ID 15001727-001
Matrix Serum or Plasma
Patient Name 0960SP-POS
Patient ID 0960SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
0960SP Cannabinoids Panel, Serum/Plasma				
Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)				
11-Hydroxy Delta-9 THC	50	ng/mL	1.0	
Synonym(s): Active Metabolite				
11-Hydroxy Delta-9 THC is an active intermediate metabolite of tetrahydrocannabinol (THC) the active component of marijuana. Usual peak levels: Less than 10% of THC levels after smoking.				
Delta-9 Carboxy THC	50	ng/mL	5.0	
Synonym(s): Inactive Metabolite				
Usual peak levels in serum for 1.75% or 3.55% THC marijuana cigarettes: 10 - 101 ng/mL about 32 to 240 minutes after beginning smoking, with a slow decline. Usually not detectable after passive inhalation.				
Delta-9 THC	50	ng/mL	0.50	
Synonym(s): Active Ingredient of Marijuana				
Usual peak levels in serum for 1.75% or 3.55% THC marijuana cigarettes: 50 - 270 ng/mL at 6 to 9 minutes after beginning smoking, decreasing to less than 5 ng/mL by 2 hrs.				

Results for sample 15001727-001 are continued on next page

NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Sample ID 15001727-001
Matrix Serum or Plasma
Patient Name 0960SP-POS
Patient ID 0960SP-POS

Collect Dt/Tm Not Given
Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.