



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 03/30/2020 11:33  
**Last Report Issued** 03/14/2019 07:39

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 0969SP  
**Patient ID** 0969SP  
**Chain** 06007589  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 06007589  
**Received** 06/16/2006 09:58

**Sample ID** 06007589-001  
**Matrix** Serum or Plasma  
**Patient Name** 0969SP  
**Patient ID** 0969SP  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**0969SP Carbamazepine, Serum/Plasma**

Analysis by Immunoassay (IA)

Carbamazepine	None Detected	mcg/mL	2.0	
Synonym(s): Tegretol®				
Usual Antiepileptic range: 4 - 12 mcg/mL.				
Toxic: Greater than 15 mcg/mL.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.