



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:35
Last Report Issued 11/22/2019 05:49

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 0995U
Patient ID 0995U
Chain 12001179
Age Not Given DOB Not Given
Gender Not Given
Workorder 12001179
Received 05/22/2012 08:30

Sample ID 12001179-001
Matrix Urine
Patient Name 0995U
Patient ID 0995U
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

0995U Carbon Disulfide Exposure (TTCA), Urine

Analysis by Colorimetry (C)

Table row for Creatinine: 5000 mg/L, Reporting Limit 100. Includes U.S. Population and gender-specific data.

Analysis by High Performance Liquid Chromatography/ Tandem Mass Spectrometry (LC-MS/MS)

Table row for 2-Thiothiazolidine-4-Carboxylic Acid: None Detected mg/L, Reporting Limit 0.50

Table row for 2-Thiothiazolidine-4-Carboxylic Acid (Creatinine corrected): None Detected mg/g Creat, Reporting Limit 0.10

Synonym(s): TTCA
Biological Exposure Index (ACGIH):
Following workplace exposure to Carbon Disulfide:
0.5 mg TTCA/g Creatinine measured in a urine specimen
collected at end of shift.

Results for sample 12001179-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208

Phone: (215) 657-4900 Fax: (215) 657-2972

e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 12001179-001

Matrix Urine

Patient Name 0995U

Patient ID 0995U

Collect Dt/Tm Not Given

Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
------------------------------	---------------	--------------	------------------------	--------------

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.