



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 05/01/2017 07:54
Last Report Issued 12/09/2016 14:11

88888
Clinical Example Report
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 1006B
Patient ID 1006B
Chain 16001573
Age Not Given DOB Not Given
Gender Not Given
Workorder 16001573
Received 12/09/2016 12:03

Disclaimer: Specimens for elemental testing should be collected in certified metal-free containers.
Elevated results for elemental testing may be caused by environmental contamination at the time of
specimen collection and should be interpreted accordingly. It is recommended that unexpected
elevated results be verified by testing another specimen.

Sample ID 16001573-001
Matrix Blood
Patient Name 1006B
Patient ID 1006B
Container Type Clear vial
Collect Dt/Tm Not Given
Source Not Given
Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes. Contains data for Carbon Monoxide and Iron analysis.

Results for sample 16001573-001 are continued on next page



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Sample ID 16001573-001
Matrix Blood
Patient Name 1006B
Patient ID 1006B

Collect Dt/Tm Not Given
Source Not Given

Analysis and Comments	Result	Units	Reporting Limit	Notes
------------------------------	---------------	--------------	------------------------	--------------

This result is a calculated result based on the Iron and Carbon Monoxide analyses. The calculated Carboxyhemoglobin percent saturation underestimates the actual carbon monoxide percent saturation since the determination assumes that all iron present is capable of binding carbon monoxide.