



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:49
Last Report Issued 03/22/2019 15:57

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1130SP-POS
Patient ID 1130SP-POS
Chain 06007718
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 06007718
Received 06/16/2006 13:19

Sample ID 06007718-001
Matrix Serum or Plasma
Patient Name 1130SP-POS
Patient ID 1130SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1130SP Chloroform, Serum/Plasma

Analysis by Gas Chromatography (GC)

Chloroform	5000	mcg/mL	0.050	ELEVATED
Toxic: Greater than 70 mcg/mL.				

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.