



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:49
Last Report Issued 01/30/2013 14:49

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1180SP-POS
Patient ID 1180SP-POS
Chain 13000589
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 13000589
Received 01/30/2013 12:01

Sample ID 13000589-001
Matrix Serum or Plasma
Patient Name 1180SP-POS
Patient ID 1180SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1180SP Chlorothiazide, Serum/Plasma

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Chlorothiazide	500	ng/mL	25	
Synonym(s): Diuril®				

Peak plasma levels following a single 500 mg oral dose of chlorothiazide were 400 - 900 ng/mL at approximately 1 to 2 hours post dose.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.