



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 11:50
Last Report Issued 01/30/2013 14:49

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1250SP-POS
Patient ID 1250SP-POS
Chain 13000593
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 13000593
Received 01/30/2013 12:02

Sample ID 13000593-001
Matrix Serum or Plasma
Patient Name 1250SP-POS
Patient ID 1250SP-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1250SP Chlorthalidone, Serum/Plasma

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Chlorthalidone	500	ng/mL	25	
----------------	-----	-------	----	--

Synonym(s): Hygroton®; Thalitone®

Peak plasma concentrations following chronic 50 mg oral administration of chlorthalidone ranged from 280 - 1400 ng/mL (average 710 ng/mL).

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.