NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 04/21/2022 16:48
Last Report Issued 06/06/2014 09:43

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1261B-POS
Patient ID 1261B-POS
Chain 14001388
DOB Not Given
Sex Not Given
Workorder 14001388

Received 06/04/2014

Lab ID 14001388-001
Matrix Blood
Patient Name 1261B-POS
Patient ID 1261B-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
1261B Chromium, Blood				
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)				
Chromium	5.0	mcg/L	1.0	ELEVATED
Normal blood values are less than 1.0 mcg/L.				

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen in a trace metal free container.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.