



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 09/09/2011 14:45
Last Report Issued 11/02/2010 08:26

88888

Clinical Dummy reports
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 1272FL
Patient ID 1272FL
Chain 10002230
Age Not Given Gender Not Given

Workorder 10002230
Received 11/02/2010 08:20

Sample ID 10002230-001
Matrix Fluid
Patient Name 1272FL
Patient ID 1272FL
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

1272FL Citalopram, Fluid

Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)

Table row: Citalopram / Escitalopram, None Detected, ng/mL, 5.0

Synonym(s): Celexa®/Lexapro®

This test is not Chiral specific. Patients who have taken Escitalopram (Lexapro®), as opposed to Racemic Citalopram (Celexa®), within the past 3 days may have falsely elevated values.