



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 11/23/2007 11:30

Last Report Issued 10/03/2007 05:25

88888

IS TESTING ACCOUNT

Attn: IS Department

200 Welsh Road

Horsham, PA 19044-2208

Patient Name 1333SP-POS

Patient ID 1333SP-POS

Chain 1

Age Not Given **Gender** Not Given

Workorder 07001918

Received 10/01/2007 05:26

Sample ID 07001918-001

Matrix Serum or Plasma

Patient Name 1333SP-POS

Patient ID 1333SP-POS

Container Type Clear vial

Collect Dt/Tm Not Given

Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1333SP Copper - Free, Serum/Plasma

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Copper	5000	mcg/L	11	
--------	------	-------	----	--

NMS Labs derived data:
Median, 1.2 mcg/L; range, Less than 1 - 180 mcg/L
(N = 937).
10 - 90% of concentrations range from
Less than 1 - 54 mcg/L.

NMS Labs uses a direct measurement technique using ultracentrifugation for free copper determinations. Comparison of reported concentrations to techniques where calculated free copper concentrations are determined is not recommended.