



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 08/06/2018 19:07
Last Report Issued 03/24/2004 13:10

88888
Clinical Example Report
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 1470SP-POS
Patient ID 1470SP-POS
Chain 04002603
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 04002603
Received 03/24/2004 13:04

Sample ID 04002603-001
Matrix Serum or Plasma
Patient Name 1470SP-POS
Patient ID 1470SP-POS
Container Type Clear vial

Collect Dt/Tm 03/24/2004
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
1470SP DDT, DDD and DDE, Serum/Plasma				
Analysis by Gas Chromatography (GC)				
DDE	5000	ppb	1.0	ELEVATED
Synonym(s): DDT Metabolite				
Normal: Less than 30 ppb.				
DDT	5000	ppb	1.0	ELEVATED
Synonym(s): Dichlorodiphenyltrichloroethane				
Normal: Less than 8 ppb.				
DDD	5000	ppb	1.0	
Synonym(s): DDT Metabolite				