



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 12:01
Last Report Issued 06/17/2004 11:21

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1546SP-POS
Patient ID 1546SP-POS
Chain 04004878
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 04004878
Received 05/05/2004 15:24

Sample ID 04004878-001
Matrix Serum or Plasma
Patient Name 1546SP-POS
Patient ID 1546SP-POS
Container Type Clear vial

Collect Dt/Tm 05/05/2004
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1546SP Dichlorobenzenes, Serum/Plasma

Analysis by Gas Chromatography (GC)

p-Dichlorobenzene	5000	mcg/mL	0.020	
m-Dichlorobenzene	5000	mcg/mL	0.020	
o-Dichlorobenzene	5000	mcg/mL	0.020	

No reference data available.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.