



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 09/09/2011 13:54

Last Report Issued 06/23/2011 11:51

88888

Clinical Dummy reports
Attn: IT Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 1561U-POS

Patient ID 1561U-POS

Chain 11001389

Age Not Given Gender Not Given

Workorder 11001389

Received 06/23/2011 11:49

Sample ID 11001389-001
Matrix Urine
Patient Name 1561U-POS
Patient ID 1561U-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes

1561U Dichloromethane Exposure, Urine

Analysis by Gas Chromatography (GC)

Table row for Dichloromethane: Result 0.50, Units mcg/mL, Reporting Limit 0.25, Notes ELEVATED. Includes biological exposure index details.