



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 03/30/2020 12:03  
**Last Report Issued** 08/02/2006 13:32

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 1613SP-POS  
**Patient ID** 1613SP-POS  
**Chain** 06008019  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 06008019  
**Received** 06/19/2006 12:45

**Sample ID** 06008019-001  
**Matrix** Serum or Plasma  
**Patient Name** 1613SP-POS  
**Patient ID** 1613SP-POS  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
<b>1613SP Digitoxin, Serum/Plasma</b>				
Analysis by Immunoassay (IA)				
Digitoxin Therapeutic range: 10 - 30 ng/mL.	5000	ng/mL	5.0	ELEVATED