



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 10/02/2011 07:51

**Last Report Issued** 03/28/2011 13:21

**88888**

Clinical Dummy reports  
Attn: IT Department  
200 Welsh Road  
Horsham, PA 19044-2208

**Patient Name** 1740B-POS

**Patient ID** 1740B-POS

**Chain** 11000699

**Age** Not Given **Gender** Not Given

**Workorder** 11000699

**Received** 03/28/2011 13:01

**Sample ID** 11000699-001  
**Matrix** Blood  
**Patient Name** 1740B-POS  
**Patient ID** 1740B-POS  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**1740B Dioxane-1,4, Blood**

Analysis by Headspace Gas Chromatography (GC)

Dioxane-1, 4	5.0	mcg/mL	1.0	
--------------	-----	--------	-----	--

Following a 6 hour exposure to 50 ppm Dioxane, steady-state plasma levels averaged 12 mcg/mL.