



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 12:06
Last Report Issued 01/20/2015 11:33

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 1789B-POS
Patient ID 1789B-POS
Chain 15000144
Age Not Given **DOB** Not Given
Gender Not Given
Workorder 15000144
Received 01/20/2015 11:27

Sample ID 15000144-001
Matrix Blood
Patient Name 1789B-POS
Patient ID 1789B-POS
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes Not light protected as required

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

1789B Diquat, Blood

Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Diquat	5000	ng/mL	10	ELEVATED
--------	------	-------	----	----------

Synonym(s): Reward™

Patients with serum diquat concentrations above 500 ng/mL during the first 24 hours after ingestion are more likely to experience systemic toxicity. The blood to serum ratio is not known for this compound.

Sample receipt condition is inappropriate for test code: Not light protected as required

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.