



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 03/30/2020 12:05  
**Last Report Issued** 01/20/2015 11:33

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 1789B  
**Patient ID** 1789B  
**Chain** 15000143  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 15000143  
**Received** 01/20/2015 11:26

**Sample ID** 15000143-001  
**Matrix** Blood  
**Patient Name** 1789B  
**Patient ID** 1789B  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** Not light protected as required

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**1789B Diquat, Blood**

Analysis by High Performance Liquid Chromatography/  
Tandem Mass Spectrometry (LC-MS/MS)

Diquat	None Detected	ng/mL	10	
--------	---------------	-------	----	--

Synonym(s): Reward™

Patients with serum diquat concentrations above 500 ng/mL during the first 24 hours after ingestion are more likely to experience systemic toxicity. The blood to serum ratio is not known for this compound.

Sample receipt condition is inappropriate for test code: Not light protected as required

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.