NMS Labs
200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com
Robert A. Middleberg, PhD, DABFT, DABCC, Laboratory Director

CONFIDENTIAL

Demo Report

Report Issued 11/21/2006 07:53
Last Report Issued 11/21/2006 07:53

88888
IS TESTING ACCOUNT
Attn: IS Department
200 Welsh Road
Horsham, PA 19044-2208

Patient Name 1790B
Patient ID 1790B
Chain 1
Age Not Given **Gender** Not Given

Workorder 06013272

Received 11/21/2006 07:52

Sample ID 06013272-001
Matrix Blood
Patient Name 1790B
Patient ID 1790B
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes Not frozen as required

Analysis and Comments	Result	Units	Reporting Limit	Notes
1790B Disulfiram (DEDTC Metabolite), Blood				
Sample Receipt condition inappropriate for test code: [Not frozen as required]				
Analysis by Gas Chromatography (GC)				
Diethyldithiocarbamate	None Detected	mcg/mL	0.050	
Synonym(s): Disulfiram Metabolite				
Usual therapeutic range 0.3 - 1.5 mcg/mL. Note: Specimens must be frozen immediately after being drawn, and kept frozen. If specimens are not kept frozen, this may cause lower or negative result values.				