



NMS Labs

CONFIDENTIAL

200 Welsh Road, Horsham, PA 19044-2208
Phone: (215) 657-4900 Fax: (215) 657-2972
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

Demo Report

Report Issued 03/30/2020 12:29
Last Report Issued 03/14/2019 09:50

88888
Clinical Example Report
Attn: Example Reports
200 Welsh Road
Horsham, PA 19044

Patient Name 2421B
Patient ID 2421B
Chain 06008937
Age Not Given DOB Not Given
Gender Not Given
Workorder 06008937
Received 06/22/2006 13:45

Sample ID 06008937-001
Matrix Blood
Patient Name 2421B
Patient ID 2421B
Container Type Clear vial

Collect Dt/Tm Not Given
Source Not Given

Approx Vol/Weight Not Given

Receipt Notes None Entered

Table with 5 columns: Analysis and Comments, Result, Units, Reporting Limit, Notes. Contains data for 2421B Inhalants Panel, Anesthetics, Blood, listing Enflurane, Halothane, Isoflurane, and Nitrous Oxide.

Results for sample 06008937-001 are continued on next page



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208

Phone: (215) 657-4900 Fax: (215) 657-2972

e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Sample ID** 06008937-001

**Matrix** Blood

**Patient Name** 2421B

**Patient ID** 2421B

**Collect Dt/Tm** Not Given

**Source** Not Given

| <b>Analysis and Comments</b> | <b>Result</b> | <b>Units</b> | <b>Reporting Limit</b> | <b>Notes</b> |
|------------------------------|---------------|--------------|------------------------|--------------|
|------------------------------|---------------|--------------|------------------------|--------------|

---

Nitrous oxide is normally not detected in unexposed individuals.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.