



**NMS Labs**

**CONFIDENTIAL**

200 Welsh Road, Horsham, PA 19044-2208  
Phone: (215) 657-4900 Fax: (215) 657-2972  
e-mail: nms@nmslabs.com

Robert A. Middleberg, PhD, F-ABFT, DABCC-TC, Laboratory Director

**Demo Report**

**Report Issued** 03/30/2020 12:30  
**Last Report Issued** 08/08/2011 07:57

**88888**  
Clinical Example Report  
Attn: Example Reports  
200 Welsh Road  
Horsham, PA 19044

**Patient Name** 2460SP  
**Patient ID** 2460SP  
**Chain** 11001622  
**Age** Not Given **DOB** Not Given  
**Gender** Not Given  
**Workorder** 11001622  
**Received** 08/08/2011 07:07

**Sample ID** 11001622-001  
**Matrix** Serum or Plasma  
**Patient Name** 2460SP  
**Patient ID** 2460SP  
**Container Type** Clear vial

**Collect Dt/Tm** Not Given  
**Source** Not Given

**Approx Vol/Weight** Not Given

**Receipt Notes** None Entered

Analysis and Comments	Result	Units	Reporting Limit	Notes
-----------------------	--------	-------	-----------------	-------

**2460SP Itraconazole, Serum/Plasma**

Analysis by High Performance Liquid Chromatography/  
Tandem Mass Spectrometry (LC-MS/MS)

Itraconazole	None Detected	mcg/mL	0.050	
Synonym(s): Sporanox®				

Under therapeutic steady-state conditions with twice daily oral doses of 200 mg, plasma itraconazole concentrations were 1.9 +/- 0.45 mcg/mL. A trough serum level greater than 0.25 mcg/mL is necessary for effective protection against fungal infection.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.